This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-2. (Cancelled)

3. (Currently Amended) A compound according to claim 6, in which

A or B in each case independently of one another represent hydrogen, tetrazolyl or the group $-N(CH_3)_2$, -NH-(CO)-pyrrolidinyl, -NH-(CO)-pentyl, -NH-(CO)-hexyl, -NH-(CO)-hexyl-NH_2, -NH-(CO)-C_3H_7, -NH-(CO)-CH_2-phenyl, -NH-(CO)-CH_2-NH_2, -NH-(CO)-C_2H_4-NH_2, -NH-(CO)-CH(NH_2)-CH_3, -NH-(CO)-CH(NH_2)-hydroxyphenyl, -NH-(CO)-CH(NH_2)-CH_2-phenyl, -NH-(CO)-CH(NH_2)-CH_2-hydroxyphenyl, -NH-(CO)-CH(NH-(CO)-CH_3)-CH_2-phenyl, -NH-(CO)-CH_2-NH-(CO)-CH_3, -NH-(CO)-N(C_2H_5)(C_2H_4-piperidinyl), -NH-(CO)-N(CH_3)(C_2H_4-piperidinyl), -NH-(CO)-CH_2-NH(CH_3), -CH_2-N(CH_3)$_2$, -NH-(CO)NH-CH_2-COOH , hydantoinyl, -CH_2-COOH

wherein pyrrolidinyl can optionally be substituted with hydroxy or the group –NH_2, $-N(CH_3)_2$ or -NH-(CO)-CH_3,

and wherein hydantoinyl can be substituted with -CH_3, -CH_2-COOH, or –(CO)-thiazolidinonyl,

X represents ~~or~~ the group –NH-,

R^1 represents halogen and

R^2 represents ~~hydrogen or~~ the group -NH-(CO)-phenyl

or C_2- or C_3-alkyl ~~-C_2H_4, -C_3H_6-~~ both can optionally be substituted in one or more places, the same way or differently, with cyano, hydroxy, phenyl, naphthyl, imidazolyl, thiazolyl, pyridyl, 2-oxazolinyl, piperidinyl, $-NH_2$, -NH-CH_2-thienyl, -NH-pyridinyl-NO_2, -NH-thiazolyl, -SO_2-thienyl, -SO_2-NH_2, -SO_2-CH_3, -SO_2-C_3H_7, pyrrolidinonyl substituted with -COOH, –NH-(CO)-NH-thienyl, –NH-(CO)-NH-phenyl, -NH-(CO)-NH- C_2H_5, -NH-(CO)-C(CH_3)$_3$, -NH-(CO)-S-C_2H_5, -NH-(CS)-NH- C_2H_5, -NH-(CO)-C_2H_5, -NH-(CO)-thienyl, -(CO)-NH-NH_2, -(CO)-

NH-CH_2-(CO)-NH_2, -(CO)-NH-C_2H_5, -COOH, wherein phenyl or imidazolyl, thiazolyl can optionally be substituted in one or more places, the same way or differently, with hydroxy, -CH_3, -NH-(CO)-CH_2-NH_2, -$COOC_2H_5$, -$COOC(CH_3)_3$,


,


,


,


,


or


,

or a diastereomer, enantiomer or pharmaceutically acceptable salt thereof.

4. (Currently Amended) A compound according to claim 6, in which A or B in each case independently of one another represent hydrogen or the group -NH-

(CO)-pyrrolidinyl, -NH-(CO)-piperidinyl, -NH-(CO)-morpholinyl, -NH-(CO)-hexyl-NH2, -NH-(CO)-CH(NH2)- hydroxyphenyl, -NH-(CO)-CH(NH2)-CH2-hydroxyphenyl, hydantoin optionally substituted with –CH3,

X represents ~~or~~ the group –NH-,

R^1 represents halogen and

R^2 represents ~~hydrogen,~~ $-C_2H_4$-imidazolyl or $-C_3H_7$ which can optionally be substituted in one or more places, the same way or differently with the group -NH-CH_2-thienyl, -NH-(CO)-C_2H_5, -NH-(CO)-$C(CH_3)_3$,


,


,


,


,


or


,

or a diastereomer, enantiomer or pharmaceutically acceptable salt thereof.

5. (Previously Presented) A compound, which is

N-[3-[[5-bromo-4-[[3-[[[1-(trifluoromethyl)cyclobutyl]carbonyl]amino]propyl]amino]-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,

N-[3-[[5-bromo-4-[[3-[[1-oxo-3-(phenylsulfonyl)propyl]amino]propyl]amino]-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,

N-[3-[[5-bromo-2-[[3-[(1-pyrrolidinylcarbonyl)amino]phenyl]amino]-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

N-[3-[[4-[[3-[[(1-aminocyclopentyl)carbonyl]amino]propyl]amino]-5-bromo-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,

N-[3-[[4-[[3-[[(1-aminocyclobutyl)carbonyl]amino]propyl]amino]-5-iodo-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,

N^1-[3-[[5-bromo-2-[[3-[(1-pyrrolidinylcarbonyl)amino]phenyl]amino]-4-pyrimidinyl]amino]propyl]-1,1-cyclopentanedicarboxamide,

(4R)-*N*-[3-[[5-bromo-2-[[3-(2,5-dioxo-1-imidazolidinyl)phenyl]amino]-4-pyrimidinyl]amino]propyl]-2-oxo-4-thiazolidinecarboxamide,

(4R)-N-[3-[[5-bromo-2-[[3-(3-methyl-2,5-dioxo-1-imidazolidinyl)phenyl]amino]-4-pyrimidinyl]amino]propyl]-2-oxo-4-thiazolidinecarboxamide,

3-[3-[[5-bromo-4-[[2-(1H-imidazol-4-yl)ethyl]amino]-2-pyrimidinyl]amino]phenyl]-2,4-imidazolidinedione,

3-[3-[[5-bromo-4-[[2-(1H-imidazol-4-yl)ethyl]amino]-2-pyrimidinyl]amino]phenyl]-1-methyl-2,4-imidazolidinedione,

N'-[3-[[5-bromo-4-[[2-(1H-imidazol-4-yl)ethyl]amino]-2-pyrimidinyl]amino]phenyl]-N-ethyl-N-[2-(1-piperidinyl)ethyl]-urea,

N-[3-[[5-bromo-4-[[3-[(2,2-dimethyl-1-oxopropyl)amino]propyl]amino]-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,

N-[3-[[2-[[3-[[(2S)-2-amino-3-(4-hydroxyphenyl)-1-oxopropyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

N-[3-[[2-[[3-[[(1-aminocyclohexyl)carbonyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

N-[3-[[2-[[3-[[(2S)-2-amino-2-phenylacetyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

N-[3-[[2-[[3-[[(2R)-2-amino-1-oxo-3-phenylpropyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-5-oxo-2-pyrrolidinecarboxamide,

N-[3-[[2-[[3-[[(2R)-2-amino-1-oxo-3-phenylpropyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

N^1-[3-[[5-bromo-2-[[3-[[(2S)-2-pyrrolidinylcarbonyl]amino]phenyl]amino]-4-pyrimidinyl]amino]propyl]- 1,1-cyclopropanedicarboxamide,

N-[3-[[5-bromo-2-[[3-(2,5-dioxo-1-imidazolidinyl)phenyl]amino]-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

N-(3-((5-bromo-4-((2-(*1H*-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-4-morpholinecarboxamide,

N-(3-((5-bromo-4-((2-(*1H*-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-1-pyrrolidinecarboxamide,

N-(3-((5-bromo-4-((3-((2-thienylcarbonyl)amino)propyl)amino)-2-pyrimidinyl)amino)phenyl)-1-pyrrolidinecarboxamide,

N1-(3-((5-bromo-2-((3-((1-pyrrolidinylcarbonyl)amino)phenyl)amino)-4-pyrimidinyl)-amino)propyl)-1,1-cyclopropanedicarboxamide,

N-(3-((5-bromo-4-((3-((1-oxopropyl)amino)propyl)amino)-2-pyrimidinyl)amino)phenyl)-1-pyrrolidinecarboxamide,

N-(3-((5-iodo-4-((3-((2-thienylcarbonyl)amino)propyl)amino)-2-pyrimidinyl)amino)phenyl)-1-pyrrolidinecarboxamide,

N-[3-[[5-bromo-4-[[3-[[[(2S)-5-oxo-2-pyrrolidinyl]carbonyl]amino]propyl]amino]-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,

N-[3-[[5-bromo-4-[[3-[[[(2S)-4-oxo-2-azetidinyl]carbonyl]amino]propyl]amino]-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,

(4R)-N-[3-[[5-bromo-2-[[3-[(1-pyrrolidinylcarbonyl)amino]phenyl]amino]-4-pyrimidinyl]amino]propyl]-2-oxo-4-thiazolidinecarboxamide or

N-[3-[[4-[[3-[[(1-aminocyclobutyl)carbonyl]amino]propyl]amino]-5-bromo-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,
or a pharmaceutically acceptable salt thereof.

6. (Previously Presented) A compound of formula (I)



(I)

in which

A or B in each case independently of one another represent hydrogen or the group $-NO_2$, $-NH_2$, $-NR^3R^4$, $-N(C_{1-6}\text{-hydroxyalkyl})_2$, $-NH(CO)-R^5$, $-NHCOOR^6$, $-NR^7-(CO)-NR^8R^9$, $-NR^7-(CS)-NR^8R^9$, $-CO-NR^8R^9$, $-SO_2-CH_3$, 4-bromo-1-methyl-1*H*-pyrazolo-3yl or C_{1-6}-alkyl optionally substituted in one or more places, the same way or differently with cyano, halogen, hydroxy or the group $-NH_2$, $-NH-(CO)-R^5$, $-SO_2-NHR^3$, $-COOR^5$, $-CONR^8R^9$, $-O-(CO)-R^5$, $-O-(CO)-C_{1-6}$-alkyl-R^5,

X represents an oxygen atom or the group –NH-,

R^1 represents halogen,

R^2 represents C_{1-6}-alkyl optionally substituted in one or more places, the same way or differently, with hydroxy, imidazolyl or the group $-NH_2$, $-NH-(CO)O-CH_2-$phenyl, -NH-(CO)H, -NH-(CO)-phenyl, $-NH-(CO)-CH_2-O-$phenyl, $-NH-(CO)-CH_2-$phenyl, $-NH-(CO)-CH(NH_2)CH_2-$phenyl, $-NH-(CO)-CH_2-CH(CH_3)-$phenyl, -NH-(CO)-CH(NH2)-$(CH2)_2$-COOH,


,


,


or


wherein phenyl can optionally be substituted in one or more places, the same or differently with halogen, C_{1-6}-alkyl or –(CO)-C(CH_2)-C_2H_5,

R^3 or R^4 in each case independently of one another represent hydrogen or C_{1-6}-alkyl optionally substituted in one or more places, the same way or differently, with hydroxy, phenyl or hydroxyphenyl,

or

R^3 and R^4 together form a C_{3-6}-heterocycloalkylring containing at least one nitrogen atom and optionally can be interrupted by one or more oxygen and/or sulfur atoms and/or can be interrupted by one or more –(CO)- groups in the ring and/or optionally can contain one or more possible double bonds in the ring, wherein the C_{3-6}-heterocycloalkylring can optionally be substituted with C_{1-6}-alkyl, C_{1-6}-alkyl-COOH or C_{1-6}-alkyl-NH2,

R^5 represents C_{1-6}-alkyl, C_{2-6}-alkenyl, C_{3-6}-cycloalkyl or phenyl each can optionally be substituted in one or more places, the same way or differently, with halogen, hydroxy, phenyl or with the group $–NH_2$, -NH(CO)-O-C_{1-6}-alkyl, wherein phenyl can optionally be substituted in one or more places, the same way or differently, with halogen, hydroxy or C_{1-6}-alkyl,

R^6 represents C_{1-6}-alkyl, C_{2-6}-alkenyl or phenyl,

R^7 represents hydrogen or C_{1-6}-alkyl and

R^8or R^9 in each case independently of one another represent hydrogen, C_{1-6}-alkyl, C_{2-6}-alkenyl, C_{3-6}-cycloalkyl, aryl or phenyl, wherein aryl or phenyl can optionally be substituted in one or more places, the same way or differently, with hydroxy or the group $-NO_2$ or $-N(C_{1-6}\text{-alkyl})_2$

or

R^8 and R^9 together form a C_{3-6}-heterocycloalkylring containing at least one nitrogen atom and optionally can be interrupted by one or more oxygen and/or sulfur atoms and/or can be interrupted by one or more –(CO)- groups in the ring and/or optionally can contain one or more possible double bonds in the ring, wherein the C_{3-6}-heterocycloalkylring can optionally be substituted with the group $-NH_2$,

wherein when X represents –NH-, B represents hydrogen and R^2 represents C_{1-6}-alkyl substituted with $-NH_2$,

then A represents $-NH-(CO)-C_6$-cycloalkyl-NH_2,

or a diastereomer, enantiomer or pharmaceutically acceptable salt thereof.

7. (Previously Presented) A compound according to claim 6, in which

A or B in each case independently of one another represent hydrogen or the group -NH-C_2H_4-OH, -NH-CH_2-hydroxyphenyl, -NH-(CO)-pyrrolidinyl, -NH-(CO)-$CH(NH_2)$-CH_2-phenyl, -NH-(CO)-pentyl-NH_2, -NH-(CO)-hexyl-NH_2, -NH-(CO)-CH_2-NH_2, -NH-(CO)-$CH(NH_2)$-hydroxyphenyl, -NH-(CO)-CH_2-hydroxyphenyl, -NH-(CO)-CH_2-methylphenyl, -NH-(CO)-C_2H_4-dihydroxyphenyl, -NH-(CO)-CH(OH)-phenyl, -NH-(CO)-$CH(NH_2)$-CH_2(OH), -NH-(CO)-$C(CH_3)_2NH_2$, -NH-(CO)-NH(C_2H_5), -CH_2OH, -(CO)-NH-cyclopropyl, -(CO)-NH-$CH(CH_3)_2$, wherein pyrrolidinyl can optionally be substituted with hydroxy or the group $-NH_2$,

X represents an oxygen atom or the group –NH-,

R^1 represents halogen and

R^2 represents $-C_2H_5$ optionally substituted in one or more places, the same way or differently, with hydroxy, imidazolyl

or represents $-C_3H_7$ or $-C_4H_8$ optionally substituted in one or more places, the

same way or differently with the group $-NH_2$, -NH-(CO)-CH(NH_2)-C_2H_4-COOH, -NH-(CO)-phenyl, -NH-(CO)-CH_2-phenyl, -NH-(CO)-CH_2-CH(CH_3)-phenyl, -NH-(CO)-CH_2-O-phenyl, -NH-(CO)O-CH_2-phenyl, -NH-(CO)-CH(NH_2)CH_2-phenyl,


,


,


or


wherein phenyl can optionally be substituted in one or more places, the same or differently, with halogen, $-CH_3$ or $-(CO)-C(CH_2)(C_2H_5)$,

or a diastereomer, enantiomer or pharmaceutically acceptable salt thereof.

8. (Previously Presented) A compound, which is

N-[3-[[2-[[3-[[(2R)-2-amino-1-oxo-3-phenylpropyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

1-[3-[[2-[[3-[[(2R)-2-amino-1-oxo-3-phenylpropyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2-oxo-3-pyrrolidinecarboxylic acid,

N-[3-[[5-bromo-4-[[3-[[(5-oxo-2-pyrrolidinyl)carbonyl]amino]propyl]amino]-2-pyrimidinyl]amino]phenyl]-1-pyrrolidinecarboxamide,

Pyrrolidine-1-carboxylic acid [3-(5-bromo-4-{3-[2-(2,4-dichloro-phenyl)-acetylamino]-propylamino}-pyrimidin-2-ylamino)-phenyl]-amide,

Pyrrolidine-1-carboxylic acid [3-(5-bromo-4-{3-[2-(4-bromo-phenyl)-acetylamino]-

propylamino}-pyrimidin-2-ylamino)-phenyl]-amide,
Pyrrolidine-1-carboxylic acid (3-{5-bromo-4-[3-(2-p-tolyl-acetylamino)-propylamino]-pyrimidin-2-ylamino}-phenyl)-amide,
Pyrrolidine-1-carboxylic acid [3-(5-bromo-4-{3-[2-(2,4-difluoro-phenyl)-acetylamino]-propylamino}-pyrimidin-2-ylamino)-phenyl]-amide,
Pyrrolidine-1-carboxylic acid {3-[5-bromo-4-(3-{2-[2,3-dichloro-4-(2-methylene-butyryl)-phenoxy]-acetylamino}-propylamino)-pyrimidin-2-ylamino]-phenyl}-amide,
Pyrrolidine-1-carboxylic acid [3-(5-bromo-4-{3-[3-(2,3-dichloro-phenyl)-butyrylamino]-propylamino}-pyrimidin-2-ylamino)-phenyl]-amide,
Pyrrolidine-1-carboxylic acid (3-{5-bromo-4-[3-(3-bromo-benzoylamino)-propylamino]-pyrimidin-2-ylamino}-phenyl)-amide,
N-(3-((4-((4-aminobutyl)amino)-5-bromo-2-pyrimidinyl)amino)phenyl)-1-pyrrolidinecarboxamide,
N-[3-[[2-[[3-[[(2R)-2-amino-1-oxo-3-phenylpropyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,
N-[3-[[(2*S*)-2-Amino-1-oxo-3-phenylpropyl]amino]-5-[[5-bromo-4-(prop-2-ynyloxy)pyrimidin-2-yl]amino]phenyl]pyrrolidine-1-carboxamide,
N-[3-[[(2*R*)-2-Amino-1-oxo-3-phenylpropyl]amino]-5-[[5-bromo-4-(prop-2-ynyloxy)pyrimidin-2-yl]amino]phenyl]pyrrolidine-1-carboxamide,
(α*R*)-α-Amino-*N*-[3-[[5-bromo-4-(prop-2-ynyloxy)pyrimidin-2-yl]amino]-5-(hydroxymethyl)phenyl]benzenepropanamide,
2-[3-(5-Bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-5-hydroxymethyl-phenylamino]-ethanol,
(2R)-Amino-N-[3-hydroxymethyl-5-(4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-phenyl-propionamide,
3-((2R)-Amino-3-phenyl-propionylamino)-5-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)- N-cyclopropyl-benzamide,
3-((2R)-Amino-3-phenyl-propionylamino)-5-(5-bromo-4-prop-2-ynyloxy-pyrimidin-2-ylamino)-N-isopropyl-benzamide,
Phenylmethyl [3-[[2-[[3-[[(ethylamino)carbonyl]amino]phenyl]amino]-5-

(hydroxymethyl)pyrimidine-4-yl]amino]propyl]carbamate,

Pyrrolidine-1-carboxylic acid (3-{4-[3-((2R)-amino-3-phenyl-propionylamino)-propylamino]-5-bromo-pyrimidine-2-ylamino}-phenyl)-amide,

Pyrrolidine-1-carboxylic acid (3-{4-[3-((2S)-amino-3-phenyl-propionylamino)-propylamino]-5-bromo-pyrimidine-2-ylamino}-phenyl)-amide,

2-[3-(5-Bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenylamino]-ethanol,

1-Amino-cyclopentancarbonylic acid[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-amide,

1-Amino-cyclohexancarbonylic acid-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-amide,

(2S)-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-phenyl-propionamide,

(2R)-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-phenyl-propionamide,

2-{[3-(5-Bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenylamino]-methyl}-phenol,

(2R)-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-(4-hydroxy-phenyl)-propionamide,

N-[3-(5-Bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-(3,4-dihydroxy-phenyl)-propionamide,

N-[3-(5-Bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-2-hydroxy-(2S)-phenyl-acetamide,

N-[3-(5-Bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-2-hydroxy-(2R)-phenyl-acetamide,

(2S)-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-hydroxy-propionamide,

(2R)-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidin-2-ylamino)-phenyl]-3-hydroxy-propionamide,

2-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-2-methyl-propionamide,

(2S)-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-(4-hydroxy-

phenyl)-propionamide,

(2S)-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-p-tolyl-propionamide or

(2R)-Amino-N-[3-(5-bromo-4-prop-2-ynyloxy-pyrimidine-2-ylamino)-phenyl]-3-p-tolyl-propionamide,

or a pharmaceutically acceptable salt thereof.

9. (Previously Presented) A compound according to claim 6, in which

A or B in each case independently of one another represent hydrogen or the group $-SO_2-CH_3$, $-NO_2$, $-NH_2$, $-CF_3$, $-CH_2-NH-(CO)-NH_2$, -CH2-pyrrolidinyl, -NH-(CO)-CH_3, -NH-(CO)-hexyl-NH_2, -NH-(CO)-phenyl, -NH-(CO)-pyrrolidinyl, --NH-(CO)-$CH(NH_2)-CH_2$-phenyl, NH-(CO)-OCH_3, -NH-(CO)-$OCH(CH_3)_2$, -NH-(CO)-OC_2H_4-morpholino, -NH-(CO)-NH-cyclopropyl, -NH-(CO)-morpholino, -NH-(CO)-NH-C_2H_4-morpholino, -NH-(CO)-NH-hydroxycycloalkyl, hydantoinyl,

wherein pyrrolidinyl can optionally be substituted with hydroxy or the group $-NH_2$ and

wherein hydantoinyl can optionally be substituted with the group $-CH_3$ or -(CO)-thiazolidinonyl,

X represents the group –NH-,

R^1 represents halogen and

R^2 represents $-CH_2$-dihydroxyphenyl, $-C_2H_4$-imidazolyl, or $-C_3H_7$ optionally substituted in one or more places, the same way or differently, with



,

or a diastereomer, enantiomer or pharmaceutically acceptable salt thereof.

10. (Previously Presented) A compound, which is

4-((4-((2-(1H-imidazol-4-yl)ethyl)amino)-5-iodo-2-pyrimidinyl)amino)-benzenesulfonamide,

N-((3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)methyl)-urea,

1-((3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)methyl)-3-pyrrolidinol,

(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-carbamic acid methyl ester,

N2-(3-aminophenyl)-5-bromo-N4-(2-(1H-imidazol-4-yl)ethyl)-2,4-pyrimidinediamine,

N-(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-N'-cyclopropyl-urea,

N-(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-4-morpholinecarboxamide,

(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-carbamic acid 1-methylethyl ester,

N-(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-methanesulfonamide,

N2-(3-amino-5-(trifluoromethyl)phenyl)-5-bromo-N4-(2-(1H-imidazol-4-yl)ethyl)-2,4-pyrimidinediamine,

N-(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-N'-(2-(4-morpholinyl)ethyl)-urea,

N2-(3-amino-5-chlorophenyl)-5-bromo-N4-(2-(1H-imidazol-4-yl)ethyl)-2,4-pyrimidinediamine,

(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-carbamic acid 2-(4-morpholinyl)ethyl ester,

N-(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-N'-(4-hydroxycyclohexyl)-urea,

N-(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-acetamide,

N-(3-((5-bromo-4-((2-(1H-imidazol-4-yl)ethyl)amino)-2-pyrimidinyl)amino)phenyl)-benzamide,

(4R)-N-[3-[[5-bromo-2-[[3-[(1-pyrrolidinylcarbonyl)amino]phenyl]amino]-4-pyrimidinyl]amino]propyl]-2-oxo-4-thiazolidinecarboxamide,

3-[3-[[5-bromo-4-[[2-(1H-imidazol-4-yl)ethyl]amino]-2-pyrimidinyl]amino]phenyl]-2,4-imidazolidinedione,

3-[3-[[5-bromo-4-[[2-(1H-imidazol-4-yl)ethyl]amino]-2-pyrimidinyl]amino]phenyl]-1-methyl-2,4-imidazolidinedione,

1-[3-[[2-[[3-[[(2R)-2-amino-1-oxo-3-phenylpropyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2-oxo-3-pyrrolidinecarboxylic acid,

1-[3-[[2-[[3-[[(1-aminocyclohexyl)carbonyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-2-oxo-3-pyrrolidinecarboxylic acid,

N-[3-[[2-[[3-[[(2R)-2-amino-1-oxo-3-phenylpropyl]amino]phenyl]amino]-5-bromo-4-pyrimidinyl]amino]propyl]-5-oxo-2-pyrrolidinecarboxamide,

N-[3-[[2-[[3-[[(2R)-2-amino-1-oxo-3-phenylpropyl]amino]phenyl]amino]-5-chloro-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

3-[3-[[5-bromo-4-[[(3,4-dihydroxyphenyl)methyl]amino]-2-pyrimidinyl]amino]phenyl]-2,4-imidazolidinedione,

3-[3-[[5-bromo-4-[[(3,4-dihydroxyphenyl)methyl]amino]-2-pyrimidinyl]amino]phenyl]-1-methyl-2,4-imidazolidinedione,

(4R)-N-[3-[[5-bromo-2-[[3-(2,5-dioxo-1-imidazolidinyl)phenyl]amino]-4-pyrimidinyl]amino]propyl]-2-oxo-4-thiazolidinecarboxamide,

N-[3-[[5-bromo-2-[[3-(2,5-dioxo-1-imidazolidinyl)phenyl]amino]-4-pyrimidinyl]amino]propyl]-5-oxo-2-pyrrolidinecarboxamide,

N-[3-[[5-bromo-2-[[3-(2,5-dioxo-1-imidazolidinyl)phenyl]amino]-4-pyrimidinyl]amino]propyl]-2,2-dimethyl-propanediamide,

3-[3-[[5-bromo-4-[[3-(2-oxo-1-pyrrolidinyl)propyl]amino]-2-pyrimidinyl]amino]phenyl]-2,4-imidazolidinedione,

(4R)-N-[3-[[5-bromo-2-[[3-(3-methyl-2,5-dioxo-1-imidazolidinyl)phenyl]amino]-4-pyrimidinyl]amino]propyl]-2-oxo-4-thiazolidinecarboxamide or

(4R)-N-[3-[[5-bromo-2-[[3-[2,5-dioxo-3-[[(4R)-2-oxo-4-thiazolidinyl]carbonyl]-1-imidazolidinyl]phenyl]amino]-4-pyrimidinyl]amino]propyl]-2-oxo-4-thiazolidinecarboxamide,

or a pharmaceutically acceptable salt thereof.

11. (Cancelled)

12. (Previously Presented) A pharmaceutical composition comprising at least one compound according to claim 6 and a pharmaceutically acceptable carrier, diluent or excipient.

13-16. (Cancelled)

17. (Currently Amended) A method of treating Kaposis sarcoma, Hodgkin's disease or leukemia comprising administering to a patient in need thereof an effective amount of a pharmaceutical composition according to claim 12.

18. (Cancelled)

19. (Previously Presented) A method according to claim 17, wherein the patient treated is a mammal.

20. (Previously Presented) A method of claim 19, wherein the mammal is a human.

21-25. (Cancelled)

26. (Currently Amended) A pharmaceutical composition comprising at least one compound according to claim 3 ~~11~~ and a pharmaceutically acceptable carrier, diluent or excipient.

27. (Previously Presented) A method of treating Kaposis sarcoma, Hodgkin's disease or leukemia comprising administering to a patient in need thereof an effective amount of

a pharmaceutical composition according to claim 26.

28. (Cancelled)

29. (Previously Presented) A method of treating rheumatoid arthritis comprising administering to a patient in need thereof an effective amount of a pharmaceutical composition according to claim 12.

30-31. (Cancelled)

32. (Previously Presented) A compound according to claim 6, wherein X represents an oxygen atom.

33. (Previously Presented) A compound according to claim 6, wherein X represents the group –NH-.

34. (Previously Presented) A compound according to claim 6, wherein A or B in each case independently of one another represent hydrogen or the group $-NO_2$, $-NH_2$, $-NR^3R^4$, $-N(C_{1-6}\text{-hydroxyalkyl})_2$, $-NH(CO)-R^5$, $-NHCOOR^6$, $-NR^7-(CO)-NR^8R^9$, $-NR^7-(CS)-NR^8R^9$, $-CO-NR^8R^9$, $-SO_2-CH_3$, 4-bromo-1-methyl-1*H*-pyrazolo-3yl or C_{1-6}-alkyl optionally substituted in one or more places, the same way or differently with cyano, hydroxy or the group $-NH_2$, $-NH-(CO)-R^5$, $-SO_2-NHR^3$, $-COOR^5$, $-CONR^8R^9$, $-O-(CO)-R^5$, $-O-(CO)-C_{1-6}\text{-alkyl-}R^5$.

35. (Cancelled)

36. (Previously Presented) A compound according to claim 6, wherein R^2 represents C_{1-6}-alkyl optionally substituted in one or more places, the same way or differently, with hydroxy, imidazolyl or the group $-NH-(CO)O-CH_2$-phenyl, -NH-(CO)H, -NH-(CO)-phenyl, $-NH-(CO)-CH_2-O$-phenyl, $-NH-(CO)-CH_2$-phenyl, -

NH-(CO)-CH(NH_2)CH_2-phenyl, -NH-(CO)-CH_2-CH(CH_3)-phenyl, -NH-(CO)-CH(NH2)-$(CH2)_2$-COOH,


,


,


or


wherein phenyl can optionally be substituted in one or more places, the same or differently with halogen, C_{1-6}-alkyl or –(CO)-$C(CH_2)$-C_2H_5.

37-38. (Cancelled)

39. (Previously Presented) A compound according to claim 6, wherein R^2 represents a straight chain or branched chain C_{1-6}-alkyl substituted in one or more places, the same way or differently, with hydroxy, imidazolyl or the group $–NH_2$, –NH-(CO)O-CH_2-phenyl, -NH-(CO)H, -NH-(CO)-phenyl, -NH-(CO)-CH_2-O-phenyl, -NH-(CO)-CH_2-phenyl, -NH-(CO)-CH(NH_2)CH_2-phenyl, -NH-(CO)-CH_2-CH(CH_3)-phenyl, -NH-(CO)-CH(NH2)-$(CH2)_2$-COOH,


,


,


or


wherein phenyl can optionally be substituted in one or more places, the same or differently with halogen, C_{1-6}-alkyl or $-(CO)-C(CH_2)-C_2H_5$.

40. (Previously Presented) A pharmaceutical composition comprising at least one compound according to claim 39 and a pharmaceutically acceptable carrier, diluent or excipient.

41. (Currently Amended) A method of treating Kaposis sarcoma, Hodgkin's disease or leukemia comprising administering to a patient in need thereof an effective amount of a pharmaceutical composition according to claim 40 ~~12~~.